


# Profiling


- Exercises -

P.Dagna, M.Cremonesi

May 2015




# Matrix Multiplication



The program (mat\_mult.f90, mat\_mult.c), given the matrices  $A(L,M)$ ,  $B(M,N)$ ,  $C(L,N)$  computes  $C = A \times B$ . Moreover if the value of the external loop counter is even, to the element  $(i,j)$  of the  $C$  matrix we add  $4 \cdot i^i$ , otherwise  $9 \cdot i^i$ . Check with gprof and gcov the hot spots inside the source and try to find out a solution to increase the efficiency.

```
// Matrix multiplication
for(i=0;i<a_r; i++) {
    for(j=0;j<b_c; j++) {
        for(k=0;k<a_c; k++){
            if (i%2==0) {
                inc=4*pow((double)i, (double)i);
                c[i][j]=c[i][j]+a[i][k]*b[k][j] +inc;
            }
            else {
                inc=9*pow((double)i, (double)i);
                c[i][j]=c[i][j]+a[i][k]*b[k][j] +inc;
            }
        }
    }
}
```



# Transport equation

Using scalasca execute the following steps:

- Compile the source `transport_mpi` with the commands
  - `module load profile/advanced`
  - `module load autoload scalasca`
  - `scalasca -instrument mpicc transport_mpi.c \`  
`-o transport_mpi`
- Run the executable with MPI processes
  - `scalasca -analyze mpirun transport_mpi`
- *Analyze the results using cube*

Source code: *transport\_mpi*