



24th Summer
School on
PARALLEL
COMPUTING

MPI Derived Data Types

Andrew Emerson - [a.emerson@cineca.it](mailto:a.emerson@ Cineca.it)
SuperComputing Applications and Innovation Department





Derived Data Types

- What are they?
 - Data types built from the basic MPI datatypes. Formally, the MPI Standard defines a general datatype as an object that specifies two things:
 - a sequence of basic datatypes
 - a sequence of integer (byte) displacements
 - An easy way to represent such an object is as a sequence of pairs of basic datatypes and displacements. MPI calls this sequence a **typemap**.
typemap = {(type 0, displ 0), ... (type n-1, displ n-1)}
 - But for most situations you do not need to worry about the typemap.



Derived Data Types

- Why use them?
 - Sometimes more convenient and efficient. For example, you may need to send messages that contain
 1. non-contiguous data of a single type (e.g. a sub-block of a matrix)
 2. contiguous data of mixed types (e.g., an integer count, followed by a sequence of real numbers)
 3. non-contiguous data of mixed types.
- As well as improving program readability and portability they may improve performance.



How to use

1. Construct the datatype using a template or *constructor*.
2. Allocate the datatype.
3. Use the datatype.
4. Deallocate the datatype.

You must construct and allocate a datatype before using it. You are not required to use it or deallocate it, but it is recommended (there may be a limit).



Datatype constructors

- `MPI_Type_contiguous`
 - Simplest constructor. Makes count copies of an existing datatype
- `MPI_Type_vector`, `MPI_Type_hvector`
 - Like contiguous, but allows for regular gaps (stride) in the displacements. For `MPI_Type_hvector` the stride is specified in bytes.
- `MPI_Type_indexed`, `MPI_Type_hindexed`
 - An array of displacements of the input data type is provided as the map for the new data type. `MPI_Type_hindexed` is identical to `MPI_Type_indexed` except that offsets are specified in byte
- `MPI_Type_struct`
 - The most general of all derived datatypes. The new data type is formed according to completely defined map of the component data types



Allocating/deallocating and using datatypes

Allocate and deallocate

- C

- `int MPI_Type_commit (MPI_datatype *datatype)`
- `int MPI_Type_free (MPI_datatype *datatype)`

- FORTRAN

- `INTEGER DATATYPE, MPIERROR`
- `MPI_TYPE_COMMIT(DATATYPE, MPIERROR)`
- `MPI_TYPE_FREE(DATATYPE, MPIERROR)`

- C

```
MPI_Type_vector(count, blocklength, stride, oldtype, &newtype);  
MPI_Type_commit (&newtype);  
MPI_Send(buffer, 1, newtype, dest, tag, comm);
```



MPI_TYPE_CONTIGUOUS


MPI_TYPE_CONTIGUOUS (count, oldtype, newtype)

IN count: replication count (non-negative integer)

IN oldtype: old datatype (handle)

OUT newtype: new datatype (handle)

- MPI_TYPE_CONTIGUOUS constructs a typemap consisting of the replication of a datatype into contiguous locations.
- newtype is the datatype obtained by concatenating count copies of oldtype.






MPI_TYPE_VECTOR

MPI_TYPE_VECTOR (count, blocklength, stride, oldtype, newtype)
IN count: Number of blocks (non-negative integer)
IN blocklen: Number of elements in each block (non-negative integer)
IN stride: Number of elements (NOT bytes) between start of each block (integer)
IN oldtype: Old datatype (handle)
OUT newtype: New datatype (handle)

- Consists of a number of elements of the same datatype repeated with a certain stride





Example 1 - A rowtype

```
count = 4;  
MPI_Type_contiguous(count, MPI_FLOAT, &rowtype);
```

1.0	2.0	3.0	4.0
5.0	6.0	7.0	8.0
9.0	10.0	11.0	12.0
13.0	14.0	15.0	16.0

a[4][4]

```
MPI_Send(&a[2][0], 1, rowtype, dest, tag, comm);
```

9.0	10.0	11.0	12.0
-----	------	------	------

1 element of
rowtype



Example 2 - columntype

```
count = 4; blocklength = 1; stride = 4;  
MPI_Type_vector(count, blocklength, stride, MPI_FLOAT,  
                &columntype);
```

1.0	2.0	3.0	4.0
5.0	6.0	7.0	8.0
9.0	10.0	11.0	12.0
13.0	14.0	15.0	16.0

a[4][4]

```
MPI_Send(&a[0][1], 1, columntype, dest, tag, comm);
```

2.0	6.0	10.0	14.0
-----	-----	------	------

1 element of
columntype



Other tools

- **MPI_GET_COUNT, MPI_GET_ELEMENTS**

- Routines which return the number of "copies" of type datatype and the number of basic elements (often used after a MPI_RECV).

```
int MPI_Get_count( const MPI_Status *status, MPI_Datatype datatype, int *count )
```

```
int MPI_Get_elements(const MPI_Status *status, MPI_Datatype datatype, int *count)
```

- **MPI_TYPE_GET_EXTENT** (*Advanced*)

- Returns the lower bound and extent of a datatype (i.e. upper bound + padding to align the datatype). Useful for creating new datatypes with **MPI_TYPE_CREATE_RESIZED**, for example.



Derived Datatype Summary

- Provide a portable and elegant way of communicating non-contiguous or mixed types in a message.
- By optimising how data is stored, should improve efficiency during MPI send and receive (perhaps avoiding buffering).
- Derived datatypes are built from basic MPI datatypes, according to a template. Can be used for many variables of the same form.
- Remember to commit the datatypes before using them.