

Introduction to Standard OpenMP 3.1

Gian Franco Marras - [g.marras@cineca.it](mailto:g.marras@ Cineca.it)



CINECA - SuperComputing Applications and Innovation Department





Outline

- 1 Introduction
- 2 Directives
- 3 Runtime library routines and environment variables
- 4 OpenMP Compilers


Distributed and shared memory




UMA and NUMA systems



Multi-threaded processes



Execution model



Why should I use OpenMP?

① Standardized

- enhance **portability**

② Lean and mean

- **limited set** of directives
- **fast** code parallelization

③ Ease of use

- parallelization is **incremental**
- coarse / fine parallelism

④ Portability

- C, C++ and Fortran API
- part of many compilers

① Performance

- may be non-portable
- increase memory traffic

② Limitations

- shared memory systems
- mainly used for **loops**

Structure of an OpenMP program

① Execution model

- the program starts with an **initial thread**
- when a `parallel` construct is encountered a **team** is created
- `parallel` regions may be **nested** arbitrarily
- **worksharing** constructs permit to divide work among threads


② Shared-memory model

- all threads have access to the **memory**
- each thread is **allowed** to have a temporary view of the memory
- each thread has access to a **thread-private** memory
- two kinds of data-sharing attributes: **private** and **shared**
- data-races trigger undefined behavior

③ Programming model

- compiler directives + environment variables + run-time library

OpenMP core elements



OpenMP releases

October 1997 Fortran 1.0

October 1998 C and C++ 1.0

November 2000 Fortran 2.0

March 2002 C and C++ 2.0

May 2005 Fortran, C and C++ 2.5

May 2008 Fortran, C and C++ 3.0

July 2011 Fortran, C and C++ 3.1

July 2013 Fortran, C and C++ 4.0

Outline

- 1 Introduction
- 2 Directives
- 3 Runtime library routines and environment variables
- 4 OpenMP Compilers

Conditional compilation

C/C++

```
#ifdef _OPENMP
printf("OpenMP support:%d",_OPENMP);
#else
printf("Serial execution.");
#endif
```

Fortran

```
!$ print *, "OpenMP support:",_OPENMP
```

- The macro `_OPENMP` has the value `yyyyymm`
- Fortran 77 supports `!$, *$` and `c$` as sentinels
- Fortran 90 supports `!$` only

Directive format

C/C++


```
#pragma omp directive-name [clause...]
```

Fortran

```
sentinel directive-name [clause...]
```


- Follows conventions of C and C++ compiler directives
- From here on free-form directives will be considered

parallel construct



- The encountering thread becomes the **master** of the new team
- All threads execute the parallel region
- There is an **implied barrier** at the end of the parallel region

Nested parallelism



- Nested parallelism is allowed from OpenMP 3.1
- Most constructs bind to the **innermost parallel region**

OpenMP: Hello world

C/C++

```
int main () {  
  
    printf("Hello world\n");  
  
    return 0;  
}
```


OpenMP: Hello world

C/C++

```
int main () {  
    /* Serial part */  
  
    #pragma omp parallel  
    {  
        printf("Hello world\n");  
    }  
  
    /* Serial part */  
    return 0;  
}
```

OpenMP: Hello world

Fortran

```
PROGRAM HELLO
```

```
Print *, "Hello World!!!"
```

```
END PROGRAM HELLO
```

OpenMP: Hello world

Fortran

```
PROGRAM HELLO
! Serial code

!$OMP PARALLEL
  Print *, "Hello World!!!"
!$OMP END PARALLEL

! Resume serial code

END PROGRAM HELLO
```

OpenMP: Hello world

What's wrong?

```
int main() {  
    int ii;  
    #pragma omp parallel  
    {  
        for(ii = 0; ii < 10; ++ii)  
            printf("iteration %d\n", i);  
    }  
    return 0;  
}
```

Worksharing constructs

- 1 **Distribute the execution** of the associated region
- 2 A worksharing region has **no barriers** on entry
- 3 An **implied barrier** exists at the end
- 4 A `nowait` clause **may omit** the implied barriers
- 5 Each region **must** be encountered by all threads or none at all
- 6 Every thread must encounter the **same sequence** of:
 - worksharing regions
 - barrier constructs
- 7 The OpenMP API defines **four worksharing** constructs:
 - `loop` construct
 - `single` construct
 - `sections` construct
 - `workshare` construct

Loop construct: syntax

C/C++

```
#pragma omp for [clause[[,] clause] ... ]  
for-loops
```

Fortran

```
!$omp do [clause[[,] clause] ... ]  
do-loops  
[!$omp end do [nowait] ]
```

Loop construct: restrictions

C/C++

```
for (init-expr; test-expr; incr-expr)  
    structured-block
```

```
init-expr:  var = lb  
            integer-type var = lb
```

```
test-expr:  relational expr.
```

```
incr-expr:  addition or subtraction expr.
```

Loop construct: the rules

- 1 The iteration variable in the `for` loop
 - if shared, is **implicitly** made private
 - must **not be modified** during the execution of the loop
 - has an **unspecified value** after the loop
- 2 The `schedule` clause:
 - may be used to specify **how** iterations are divided into chunks
- 3 The `collapse` clause:
 - may be used to specify how many loops are parallelized
 - valid values are constant positive integer expressions

Loop construct: scheduling

C/C++

```
#pragma omp for schedule(kind[, chunk_size])  
for-loops
```

Fortran

```
!$omp do schedule(kind[, chunk_size])  
do-loops  
[!$omp end do [nowait] ]
```

Loop construct: schedule kind

1 Static

- iterations are divided into chunks of size `chunk_size`
- the chunks are assigned to the threads in a **round-robin** fashion
- must be **reproducible** within the same parallel region

2 Dynamic

- iterations are divided into chunks of size `chunk_size`
- the chunks are assigned to the threads as they request them
- the default `chunk_size` is 1

3 Guided

- iterations are divided into chunks of decreasing size
- the chunks are assigned to the threads as they request them
- `chunk_size` controls the minimum size of the chunks

4 Run-time

- controlled by environment variables

Loop construct: schedule kind




Figure : Different scheduling for a 1000 iterations loop with 4 threads: guided (top), dynamic (middle), static (bottom)

Loop construct: nowait clause

Where are the implied barriers?

```
void nowait_example(int n, int m, float *a,
                   float *b, float *y, float *z) {
#pragma omp parallel
{
#pragma omp for nowait
    for (int i=1; i<n; i++)
        b[i] = (a[i] + a[i-1]) / 2.0;
#pragma omp for nowait
    for (int i=0; i<m; i++)
        y[i] = sqrt(z[i]);
}
}
```

Loop construct: nowait clause

```
...
int i;
#pragma omp parallel
{
#pragma omp for schedule(static) nowait
    for (i=0; i<n; i++)
        c[i] = (a[i] + b[i]) / 2.0f;
#pragma omp for schedule(static) nowait
    for (i=0; i<n; i++)
        z[i] = sqrtf(c[i]);
#pragma omp for schedule(static) nowait
    for (i=1; i<=n; i++)
        y[i] = z[i-1] + a[i];
}
```

Loop construct: nested loops

Am I allowed to do the following?

```
#pragma omp parallel
{
#pragma omp for
  for(int ii = 0; ii < n; ii++) {
#pragma omp for
  for(int jj = 0; jj < m; jj++) {
    A[ii][jj] = ii*m + jj;
  }
}
}
```

Loop construct: collapse clause

The right way to collapse nested loops

```
#pragma omp parallel
{
#pragma omp for collapse(2)
  for(int ii = 0; ii < n; ii++) {
    for(int jj = 0; jj < m; jj ++){
      A[ii][jj] = ii*m + jj;
    }
  }
}
```

- The collapsed loops must be **perfectly nested**

Sections construct: syntax

C/C++

```
#pragma omp sections [clause[[,] clause]...]
{
#pragma omp section
    structured-block
#pragma omp section
    structured-block
...
}
```


Sections construct: syntax

Fortran

```
!$omp sections [clause[[,] clause]...]  
!$omp section  
    structured-block  
!$omp section  
    structured-block  
...  
!$omp end sections [nowait]
```

Sections construct: some facts

- 1 `sections` is a non-iterative worksharing construct
 - it contains a set of `structured-blocks`
 - each one is executed **once** by one of the threads
- 2 Scheduling of the sections is **implementation defined**
- 3 There is an implied barrier at the end of the construct

Single construct: syntax

C/C++

```
#pragma omp single [clause[[,] clause]...]
    structured-block
```

Fortran

```
!$omp single [clause[[,] clause] ... ]
    structured-block
[!$omp end single [nowait] ]
```

Single construct: some facts

- 1 The associated structured block is executed by **only one thread**
- 2 The other threads wait at an **implicit barrier**
- 3 The method of choosing a thread is **implementation defined**

Workshare construct: syntax

Fortran

```
!$omp workshare  
  structured-block  
!$omp end workshare [nowait]
```

Divides the following into shared **units of work**:

- 1 array assignments
- 2 FORALL statements or constructs
- 3 WHERE statements or constructs

Master construct: syntax

C/C++

```
#pragma omp master  
    structured-block
```

Fortran

```
!$omp master  
    structured-block  
!$omp end master
```

Master construct: some facts

- 1 The `master` construct specifies a structured block:
 - that is **executed by the master** thread
 - with **no implied barrier** on entry or exit
- 2 Used mainly in:
 - hybrid MPI-OpenMP programs
 - progress/debug logging

Critical construct: syntax

C/C++

```
#pragma omp critical [name]  
    structured-block
```

Fortran

```
!$omp critical [name]  
    structured-block  
!$omp end critical [name]
```


Critical construct: some facts

- 1 The `critical` construct restricts the execution:
 - to a single thread at a time (wait on entry)
 - disregarding team information
- 2 An optional `name` may be used to identify a region
- 3 All `critical` without a name `share` the same unspecified tag
- 4 In `Fortran` the names of `critical` constructs:
 - are global entities of the program
 - may conflict with other names (and trigger undefined behavior)

Critical construct: example

Named critical regions

```
#pragma omp parallel
{
#pragma omp critical(long_critical_name)
    doSomeCriticalWork_1();
#pragma omp critical
    doSomeCriticalWork_2();
#pragma omp critical
    doSomeCriticalWork_3();
}
```

Barrier construct: syntax

C/C++

```
#pragma omp barrier
```

Fortran

```
!$omp barrier
```

The `barrier` construct specifies an **explicit barrier** at the point at which the construct appears

Barrier construct: example

Waiting for the master to come

```
int counter = 0;
#pragma omp parallel
{
  #pragma omp master
  counter = 1;
  #pragma omp barrier
  printf("%d\n", counter);
}
```

Atomic construct: syntax

C/C++

```
#pragma omp atomic \  
    [read | write | update | capture]  
    expression-stmt
```

```
#pragma omp atomic capture  
    structured-block
```

Atomic construct: syntax

Fortran

```
!$omp atomic read  
  capture-statement    (v = x)  
[!$omp end atomic]
```

```
!$omp atomic write  
  write-statement     (v = expr)  
[!$omp end atomic]
```

Atomic construct: syntax

Fortran

```
!$omp atomic [update]
  update-statement (x = x + 1)
[$omp end atomic]

!$omp atomic capture
  update-statement
  capture-statement (y = x + 1)
!$omp end atomic
```

Atomic construct: some facts

1 The `atomic` construct:

- ensures a specific storage location to be **updated atomically**
- does not expose it to multiple, simultaneous writing threads

2 The binding thread set for an atomic region is **all threads**

3 The `atomic` construct with the clause:

`read` forces an atomic read regardless of the machine word size

`write` forces an atomic write regardless of the machine word size

`update` forces an atomic update (default)

`capture` same as an update, but captures original or final value

4 Accesses to the same location must have **compatible** types

Data-sharing attributes: C/C++

- 1 The following are always **private**:
 - variables with **automatic** storage duration
 - loop **iteration variable** in the loop construct
- 2 The following are always **shared**:
 - objects with **dynamic** storage duration
 - variables with **static** storage duration
- 3 Arguments passed by reference inherit the attributes

Data-sharing attributes: Fortran

- 1 The following are always **private**:
 - variables with **automatic** storage duration
 - loop **iteration variable** in the loop construct
- 2 The following are always **shared**:
 - assumed size arrays
 - variables with **save** attribute
 - variables belonging to common blocks or in modules
- 3 Arguments passed by reference inherit the attributes

Data-sharing clauses: syntax

C/C++

```
#pragma omp directive-name [clause[[,]clause]
```

Fortran

```
!$omp directive-name [clause[[,]clause]
```

...

```
!$omp end directive-name [clause]
```

Default/shared/private clauses

- 1 The clause `default`:
 - is valid on `parallel`
 - **accepts** `shared` **or** `none` in C/C++ **and** Fortran
 - **accepts** `private` **and** `firstprivate` in Fortran
 - `default (none)` **requires** each variable to be listed in a clause
- 2 The clause `shared(list)`:
 - is valid on `parallel`
 - declares one or more list items to be shared
- 3 The clause `private(list)`:
 - is valid on `parallel`, `for`, `sections`, `single`
 - declares one or more list items to be private
 - allocates a new item of the same type with undefined value

Default/shared/private clauses

Example

```
int q,w;
#pragma omp parallel private(q) shared(w)
{
    q = 0;
#pragma omp single
    w = 0;
#pragma omp critical(stdout_critical)
    printf("%d %d\n", q, w);
}
```

Firstprivate clause

Example

```
int q = 3, w;  
#pragma omp parallel firstprivate(q) shared(w)  
{  
#pragma omp single  
    w = 0;  
#pragma omp critical(stdout_critical)  
    printf("%d %d\n", q, w);  
}
```

Same as `private`, but **initializes** items

Lastprivate clause

Example

```
#pragma omp parallel
{
#pragma omp for lastprivate(i)
    for(i = 0; i < (n1); ++i)
        a[i] = b[i] + b[i + 1];
}
a[i] = b[i];
```

- valid on for, sections
- the value of each new list item is the sequentially last value

Reduction clause: some facts

- 1 The `reduction` clause:
 - is valid on `parallel`, `loop` and `sections` constructs
 - specifies an operator and one or more list item
- 2 A list item that appears in a `reduction` clause must be shared
- 3 For each item in the list:
 - a private copy is created and initialized appropriately
 - at the end of the region the original item is updated
- 4 Aggregate types may not appear in a reduction clause
- 5 Items must not be `const`-qualified
- 6 Operator: `+`, `-`, `*`, `max`, `min`, ...

Reduction clause: example

Sum over many iterations

```
int a = 5;
#pragma omp parallel
{
#pragma omp for reduction(+:a)
    for(int i = 0; i < 10; ++i)
        ++a;
}
printf("%d\n", a);
```

Reduction clause: example

Fortran features?

```
PROGRAM REDUCTION_WRONG
  MAX = HUGE(0)
  M = 0
  !$OMP PARALLEL DO REDUCTION(MAX: M)
  DO I = 1, 100
    CALL SUB(M, I)
  END DO
END PROGRAM REDUCTION_WRONG
```

Copyprivate clause

C/C++

```
#pragma omp single copyprivate(tmp)
{
    tmp = (float *) malloc(sizeof(float));
} /* copies the pointer only */
```

- Valid only on `single`
- Broadcasts the value of a private variable

Outline

- 1 Introduction
- 2 Directives
- 3 Runtime library routines and environment variables**
- 4 OpenMP Compilers

Runtime library routines

Most used functions

```
int omp_get_num_threads(void); // # of threads
int omp_get_thread_num(void); // thread id
double omp_get_wtime(void); // get wall-time
```

- Prototypes for C/C++ runtime are provided in `omp.h`
- Interface declarations for Fortran are provided as:
 - a Fortran include file named `omp_lib.h`
 - a Fortran 90 module named `omp_lib`

Environment variables

- OMP_NUM_THREAD** sets the number of threads for parallel regions
- OMP_STACKSIZE** specifies the size of the stack for threads
- OMP_SCHEDULE** controls schedule type and chunk size of `runtime`
- OMP_PROC_BIND** controls whether threads are bound to processors
- OMP_NESTED** enables or disables nested parallelism

Outline

- 1 Introduction
- 2 Directives
- 3 Runtime library routines and environment variables
- 4 OpenMP Compilers**

OpenMP Compilers

GNU:

(Version \geq 4.3.2) Compile with **-fopenmp** For Linux, Solaris, AIX, MacOSX, Windows.

IBM:

Compile with **-qsmp=omp** for Windows, AIX and Linux.

Sun Microsystems:

Compile with **-xopenmp** for Solaris and Linux.

OpenMP Compilers

Intel:

Compile with **-Qopenmp** on Windows, or just **-openmp** on Linux or Mac Emit useful information to stderr.

-openmp-report2

Portland Group Compilers:

Compile with **-mp** Emit useful information to stderr. **-Minfo=mp**

OpenMP: THE END!!!

Good clean fun!!!