



Advanced MPI

Maurizio Cremonesi

May 2016



Content



Packing data


Derived data types

MPI-IO introduction

Groups of processes

Communicators

Topologies



Pack/Unpack

Example: *0301MPIexample-pack*

Consider the problem of sending data of different kinds. For example, root should broadcast the following values:

MPI_DOUBLE_PRECISION: SWV(2), Range

MPI_INTEGER: XYdots, Niter


the broadcasting function should be called 4 times:

```
CALL MPI_BCAST (SWV, 2, MPI_DOUBLE_PRECISION, 0,  
MPI_COMM_WORLD, ierr)
```

```
CALL MPI_BCAST (XYdots, 1, MPI_INTEGER, 0, MPI_COMM_WORLD,  
ierr)
```

```
CALL MPI_BCAST (Range, 1, MPI_DOUBLE_PRECISION, 0,  
MPI_COMM_WORLD, ierr)
```

```
CALL MPI_BCAST (NITER, 1, MPI_INTEGER, 0, MPI_COMM_WORLD,  
ierr)
```



Pack/Unpack

A better solution is possible, minimizing the use of sending/receiving functions. The four objects:

MPI_DOUBLE_PRECISION: SWV(2), Range ! $8*3 = 24$ bytes

MPI_INTEGER: XYdots, Niter ! $2*4 = 8$ bytes

can be packed into a buffer for delivery and unpacked on receiving:


1. root process packs data into the buffer pckd_data, 32 bytes long:

```
Pos = 0
```

```
CALL MPI_PACK (SWV, 2, MPI_DOUBLE_PRECISION, &  
              & pckd_data, 32, pos, MPI_COMM_WORLD, ierr)
```

```
. . .
```

```
CALL MPI_PACK (Niter, 1, MPI_INTEGER, pckd_data, &  
              & 32, pos, MPI_COMM_WORLD, ierr)
```



Pack/Unpack

2. Buffered data are distributed:

```
CALL MPI_BCAST (pckd_data, 32, MPI_PACKED , 0, &  
               & MPI_COMM_WORLD, ierr)
```

3. receiving processes unpack data:


Pos = 0

```
CALL MPI_UNPACK (pckd_data, 32, pos, SWV, 2, &  
               & MPI_DOUBLE_PRECISION, MPI_COMM_WORLD, ierr)
```

. . .

```
CALL MPI_UNPACK (pckd_data, 32, pos, Niter, 1, &  
               & MPI_INTEGER, MPI_COMM_WORLD, ierr)
```

Pack




The MPI library enables packing different data in one buffer, that can be sent as a whole. Communication times can thus be reduced. To gather several data in a single buffer the function `MPI_PACK` may be used.

```
INTERFACE fortran
  SUBROUTINE MPI_PACK(inbuf, incount, datatype, outbuf, outsize, position, comm, ierr)
    INTEGER, INTENT(IN) :: INCOUNT, DATATYPE, OUTSIZE, COMM
    <type>, INTENT(IN) :: INBUF(:)
    <type>, INTENT(OUT) :: OUTBUF(:)
    INTEGER, INTENT(INOUT) :: POSITION
    INTEGER, INTENT(OUT) :: IERR
  END SUBROUTINE MPI_PACK
END INTERFACE
```

```
int MPI_Pack(void *inbuf, int incount, MPI_Datatype datatype, void *outbuf,
            int outsize, int *position, MPI_Comm comm); c/c++
```

`INCOUNT` elements of type `DATATYPE` of the buffer `INBUF` are copied in the buffer `OUTBUF` from position `POSITION` (in byte). On exit `POSITION` has the value of the next free address.



Unpack


The function `MPI_UNPACK` is used by the receiving processes to extract data from the buffer `INBUF`.

```
INTERFACE
  SUBROUTINE MPI_UNPACK (inbuf, insize, position, outbuf, outcount, datatype,
    comm, ierr)
    INTEGER, INTENT(IN) :: INSIZE, DATATYPE, OUTCOUNT, COMM
    <type>, INTENT(IN) :: INBUF(:)
    <type>, INTENT(OUT) :: OUTBUF(:)
    INTEGER, INTENT(INOUT) :: POSITION
    INTEGER, INTENT(OUT) :: IERR
  END SUBROUTINE MPI_UNPACK
END INTERFACE
```

fortran

```
int MPI_Unpack(void *inbuf, int insize, int *position, void *outbuf,
  int outcount, MPI_Datatype datatype, MPI_Comm comm)
```

c/c++



Basic data types

The basic MPI data types are:

```
MPI_INTEGER  
MPI_REAL  
MPI_DOUBLE_PRECISION  
MPI_COMPLEX  
MPI_DOUBLE_COMPLEX  
MPI_LOGICAL  
MPI_CHARACTER  
MPI_BYTE  
MPI_PACKED
```


fortran

```
MPI_CHAR  
MPI_SHORT  
MPI_INT  
MPI_LONG  
MPI_UNSIGNED_CHAR  
MPI_UNSIGNED_SHORT  
MPI_UNSIGNED  
MPI_UNSIGNED_LONG  
MPI_FLOAT  
MPI_DOUBLE  
MPI_LONG_DOUBLE  
MPI_BYTE  
MPI_PACKED
```

c/c++

If the data to be communicated are structured with heterogeneous members, it may be convenient to define a MPI derived data type. Derived data types are defined using basic data types (and formerly defined derived data types).

```
Dtype = [(typ_0 , pos_0), (typ_1 , pos_1), ..., (typ_n-1 , pos_n-1)]
```

Derived data types

To define a derived data type it is required:


- To specify the structure of the new data type, on the basis of previously defined or basic data types.
- To register the new data type

The newly defined data type must be registered to MPI with the following function:

```
interface fortran  
  subroutine mpi_type_commit (mpi_mytype, cod_err)  
    integer, intent (in) :: mpi_mytype ! Il nome del nuovo tipo di dati  
    integer, intent (out):: cod_err    ! codice di errore.  
  end subroutine mpi_type_commit  
end interface
```

```
int MPI_Type_commit ( MPI_Datatype *mpi_mytype ) c/c++
```

Once committed the new data type becomes a recognized MPI data type.



Derived data types


Whenever a defined data type is of no use any more, the following function should be called:

```
interface fortran  
  subroutine mpi_type_free (mpi_mytype, cod_err)  
    integer, intent (in) :: mpi_mytype ! Data type handler  
    integer, intent (out):: cod_err    ! Error code  
  end subroutine mpi_type_commit  
end interface
```

```
int MPI_Type_free ( MPI_Datatype *mpi_mytype )
```

c/c++

Pending operations will complete normally.



Generic structures

Example: *0302MPIexample-struct*

Consider the problem of sending heterogeneous data contained in a structure:


```

TYPE input_data                                struct {
  REAL(8)  :: SWV(2), Range                    double SWV[2], Range;
  INTEGER  :: XYdots, Niter                    int XYdots, Niter;
END TYPE                                        } input_data;
  
```

The broadcasting function should be called 4 times:

```

CALL MPI_BCAST (values%SWV, 2, MPI_DOUBLE_PRECISION , 0, &
  & MPI_COMM_WORLD, ierr)
  .
  .
  .
CALL MPI_BCAST (values%NITER, 1, MPI_INTEGER, 0, &
  & MPI_COMM_WORLD, ierr)
  
```



Generic structures

A better solution is possible, minimising the communication calls.

A MPI derived data type is built from blocks of homogeneous elements. For example, if we are interested in communicating the following data structure:

```
TYPE input_data                                struct {  
    REAL(8)  :: SWV(2), Range                    double SWV[2], Range;  
    INTEGER  :: XYdots, Niter                    int XYdots, Niter;  
END TYPE                                        } input_data;
```


four blocks may be defined, one for each component of the structure:

Block #1: 2 doubles

Block #2: 1 double

Block #3: 1 integer

Block #4: 1 integer



Generic structures


The MPI representation of a generic data structure requires three arrays to be defined:

`v_len_blk` – actual length of each block (in elements)

`v_head` – starting position of each block (in bytes)

`v_el_typ` – data type of the elements in each block


It should be noted that the values in `v_head` must be given in bytes because the elements of each block may be of different type with different byte extensions.



Generic structures

The data structure can thus be described using the MPI_Type_struct function:

```
num_blk = 4
v_len_blk = [2,1,1,1]
v_head = [0,16,24,28]
v_el_typ = [MPI_DOUBLE_PRECISION, &
            & MPI_DOUBLE_PRECISION, &
            & MPI_INTEGER, MPI_INTEGER]
CALL MPI_Type_struct(num_blk, v_len_blk, v_head, &
                    & v_el_typ, new_type, ierr)
CALL MPI_Type_commit(new_type, ierr)
```




Generic structures

The function `mpi_type_struct` has the following interface:

```
interface
  subroutine mpi_type_struct(num_blk,v_len_blk,v_head,v_el_typ,new_typ,ierr)
    integer, intent(in) :: num_blk          ! How many blocks
    integer,intent(in),dimension(:) :: v_len_blk ! How many elements per block
    integer, intent(in), dimension(:) :: v_head ! How many bytes before
                                                ! each block
    integer, intent(in), dimension(:) :: v_el_typ ! Element type per block
    integer, intent(out) :: new_typ ! Data type handler
    integer, intent(out) :: ierr ! Error code
  end subroutine mpi_type_struct
end interface
```

fortran

```
int MPI_Type_struct( int num_blk, int v_len_blk[], MPI_Aint v_head[],
                    MPI_Datatype v_el_typ[], MPI_Datatype *new_typ ) c/c++
```




Generic structures

C language structures and Fortran derived data types may be easily mapped into MPI derived data types.

The programmer must anyhow be sure that the relative positions of the structure components are not modified by compiler optimizations.

Fortran derived types should contain the instruction SEQUENCE.



Contiguous elements


Example: *0303MPIexample-struct_gather*

Consider the problem of distributing a vector of structured data:

```
TYPE person
  SEQUENCE
  CHARACTER(80) :: Name, Surname
  INTEGER, DIMENSION(3) :: Birth_date
  INTEGER :: Position, Id
END TYPE person

TYPE(person), dimension(8) :: lteam, team
```

If we would like to distribute the *team* array, we could send it as a number of elements of type *person* (or whatever is called the object *MPI_Datatype*) or as a global object composed of elements of type *person*.



Contiguous elements

An array of contiguous and homogeneous elements is the simplest derived type to be defined. From element to element there must be no spaces.


```
interface
  subroutine mpi_type_contiguous (num_el, el_type, new_type, ierr)
    integer, intent(in) :: num_el ! How many elements in the array
    integer, intent(in) :: el_type ! Element type
    integer, intent(out) :: new_type ! New data type handler
    integer, intent(out) :: ierr ! Error code
  end subroutine mpi_type_contiguous
end interface
```

fortran

```
int MPI_Type_contiguous ( int num_el, MPI_Datatype el_type,
                        MPI_Datatype *new_type)
```

c/c++

This function defines the new data type starting from an array of `num_el` elements. All the elements must be of the same (derived) data type.



Contiguous elements


As an other simple example, if

```
El_type = {(double, 0), (char, 8)}
```

is a 16 bytes data type and 3 elements of that type are filed in an array, then

```
New_type = {(double, 0), (char, 8)  
            (double, 16), (char, 24)  
            (double, 32), (char, 40)}
```

Of course there is no point in *El_type* being a basic MPI type even if it may be as well.



Not contiguous elements

Making things a bit more complicated, the following function is used to define arrays with useful data separated by fixed strides. i.e. arrays may be seen as sequences of identical blocks containing elements to be communicated and elements to be discarded


```
interface
  subroutine mpi_type_vector(num_blk,len_blk,blk_siz,el_typ,new_typ,errcode)
    integer, intent(in) :: num_blk ! How many blocks
    integer, intent(in) :: len_blk ! How many useful elements per block
    integer, intent(in) :: blk_siz ! Total number of elements per block
    integer, intent(in) :: el_typ ! Data type of the block elements
    integer, intent(out) :: new_typ ! New data type handler
    integer, intent(out) :: ierr ! Error code
  end subroutine mpi_type_vector
end interface
```

fortran

```
int MPI_Type_vector( int num_blk, int len_blk, int blk_siz,
                    MPI_Datatype el_typ, MPI_Datatype *new_typ )
```


c/c++

Not contiguous elements



It can be noted that the size and the useful length of the blocks is given in number of elements.

As an example if **blk_siz=10** and **len_blk=7** and the elements are of type `MPI_INTEGER`, the actual size of each block is $4 \times 10 = 40$ bytes. But only $4 \times 7 = 28$ elements are communicated and $4 \times (10-7) = 12$ bytes are never sent.



More on not contiguous elements

The following function must be used to define arrays with blocks of different dimensions. Two vectors are needed to define the lengths because each block has its own number of useful and discarded elements.

```

interface
  subroutine mpi_type_indexed(num_blk,v_len_blk,v_head,el_typ,new_typ,cod_er)
    integer, intent(in) :: num_blk      ! How many blocks
    integer, intent(in), dimension(:) :: v_len_blk ! How many elements
                                                ! in each block
    integer, intent(in), dimension(:) :: v_head ! How many elements before
                                                ! each block
    integer, intent(in) :: el_typ ! Data type of elements in each block
    integer, intent(out) :: new_typ ! New data type handler
    integer, intent(out) :: ierr ! Error code
  end subroutine mpi_type_indexed
end interface
  
```


fortran

```

int MPI_Type_indexed( int num_blk, int v_len_blk[], int v_head[],
                    MPI_Datatype el_typ, MPI_Datatype *new_typ )
  
```

c/c++

Please note that instead of specifying the total length of each block, the starting position of the blocks have to be passed to the function.



More on not contiguous elements

As an example, if we have to describe data structured in three blocks, 3 elements parted each other and containing 5, 13 and 7 elements, the arrays `v_len_blk` and `v_head` must be defined as follow:


```
v_len_blk = (/ 5, 13, 7 /)
v_head    = (/ 0, 8, 24 /)
```

The following function may be used to know the extension of a MPI (either basic or derived) data type:

```
interface
  subroutine mpi_type_extent (datatype, ext, cod_err)
    integer, intent(in) :: datatype    ! MPI data type
    integer, intent(out) :: ext        ! Extension (in bytes)
    integer, intent(out) :: ierr      ! Error code
  end subroutine mpi_type_extent
end interface
```

fortran

```
int MPI_Type_extent( MPI_Datatype datatype, MPI_Aint *ext )
```



Useful functions

The function `mpi_type_hvector` is similar to `mpi_type_vector`, but `blk_siz` is given in bytes. The function `mpi_type_hindexed` is alike `mpi_type_indexed`, but `v_head` is measured in bytes.


The function `mpi_address` returns the starting address of an object. It is important for portability issues.

fortran

```
interface
  subroutine mpi_address (obj, address, ierr)
    integer, intent(in) :: obj      ! Input object or variable
    integer, intent(out) :: address ! Starting address
    integer, intent(out) :: ierr    ! Error code
  end subroutine mpi_address
end interface
```

c/c++

```
int MPI_Address( void *obj, MPI_Aint *address)
```

MPI-IO basics

Example: *0304MPIexample-struct_file*

The MPI derived data types may be used not only in communications but in I/O operations also.

As an example, imagine to substitute in the previous example collective file writing to the data distribution function:

```
CALL MPI_File_open(MPI_COMM_WORLD, 'team.dat', &  
    & MPI_MODE_WRONLY+MPI_MODE_CREATE, &  
    & MPI_INFO_NULL, fh, ierr)
```


fortran

```
CALL MPI_File_write_ordered(fh, lteam, 1, &  
    & pair_type, status, ierr)
```

c/c++

```
CALL MPI_File_close(fh, ierr)
```

MPI-IO basics




After writing data is kept on disk and can be recovered when needed:

```
IF ( my_rank == 0 ) THEN
  CALL MPI_FILE_OPEN(MPI_COMM_SELF, 'team.dat', &
    & MPI_MODE_RDONLY, MPI_INFO_NULL, fh, ierr)
  DO i = 1, 8
    CALL MPI_File_read(fh, team(i), 1, &
      & person_type, status, ierr)
  ENDDO
  CALL MPI_File_close(fh, ierr)
ENDIF
```

fortran

c/c++




MPI-IO basics

Basic MPI-IO operations are: open, seek, read, write, close

- open/close operations must be issued by all processes on the same file (collective operations)
- MPI read/write functions are similar to send/recv
- a local pointer to the file (individual file pointer) is kept for each process for seek, read, write operations

fortran

c/c++



MPI-IO basics


Before beginning I/O operations the destination file must be connected to the MPI system. This is afforded by the `MPI_File_open` function. Remember that this function is collective: it must be called by all the processes in a communicator.

```
interface
  subroutine MPI_FILE_OPEN(comm, filename, amode, info, fh, ierr)
    integer, intent(in) :: comm          ! Communicator
    character(*), intent(in) :: filename
    integer, intent(in) :: amode        ! Access mode
    integer, intent(in) :: info        ! Access details
    integer, intent(out) :: fh         ! File handle
    intent(out) :: ierr                ! Error code
  end subroutine MPI_FILE_OPEN
end interface
```

fortran

```
int MPI_File_open(MPI_Comm comm, const char* filename, int amode,
  MPI_Info info, MPI_File* fh)
```

c/c++




MPI-IO basics

Few notes about the open function:

- the function is collective; would it be the case just one process has to call it, `MPI_COMM_SELF` should be used
- the filename must be the same for all involved processes
- if the `MPI_Info` handler is not used, `MPI_INFO_NULL` value can be passed
- the access mode value must be the same for all involved processes; some of the most common mode values are:

<code>MPI_MODE_RDONLY</code>	read only
<code>MPI_MODE_RDWR</code>	read/write
<code>MPI_MODE_WRONLY</code>	write only
<code>MPI_MODE_CREATE</code>	create if not existing
<code>MPI_MODE_DELETE_ON_CLOSE</code>	delete on closing

Mode values may be chained with + (plus, Fortran) and | (pipe, C, C++) characters



MPI-IO basics

After the destination file have been used, the `MPI_File_close` function should be called. Remember that this function also is collective: it must be called by all the processes in the communicator.


```
interface
  subroutine MPI_FILE_CLOSE(fh, ierr)
    integer, intent(in) :: fh ! File handle
    intent(out) :: ierr      ! Error code
  end subroutine MPI_FILE_CLOSE
end interface
```

fortran

```
int MPI_File_close(MPI_File* fh)
```

c/c++

MPI-IO basics



There are several functions for storing and recovering data to/from disk.


Some functions are blocking, while others can overlap I/O with computation.

Besides operations can be collective or individually managed.

Positioning can be collectively or individually or explicitly managed.

In the previous example a writing collective function has been used to store data. In this case the operations is automatically managed by MPI and processes do not need to take care about data positioning in the file.

Instead data retrieving has been accomplished by calling a non collective function with individual pointer.



MPI-IO basics


The `MPI_File_write_ordered` function can be used to store distributed data in the process order.

```
interface
  subroutine MPI_File_write_ordered(fh, buf, count, &
    & datatype, status, ierr)
    integer, intent(in) :: fh          ! File handle
    integer, intent(in) :: buf        ! Data (actual type may vary)
    integer, intent(in) :: count      ! Elements in buffer
    integer, intent(in) :: datatype   ! MPI datatype of data
    integer, intent(out) :: status    ! Infos
    intent(out) :: ierr              ! Error code
  end subroutine MPI_File_write_ordered
end interface
```

fortran

```
int MPI_File_write_ordered(MPI_File fh, void *buf, int count,
  MPI_Datatype datatype, MPI_Status *status)
```

c/c++




MPI-IO basics

The `MPI_File_read` function can be used to retrieve data individually, i.e. each process read data independently by all others.

```
interface
  subroutine MPI_File_read(fh, buf, count, datatype, &          fortran
    & status, ierr)
    integer, intent(in) :: fh          ! File handle
    integer, intent(out) :: buf        ! Data (actual type may vary)
    integer, intent(in) :: count       ! Elements in buffer
    integer, intent(in) :: datatype    ! MPI datatype of data
    integer, intent(out) :: status     ! Infos
    intent(out) :: ierr               ! Error code
  end subroutine MPI_File_read
end interface
```

```
int MPI_File_read(MPI_File fh, void *buf, int count,          c/c++
  MPI_Datatype datatype, MPI_Status *status)
```




MPI-IO basics

The status object returned by I/O functions may be used to control data movements. In the example the `MPI_Get_count` has been used to show how many elements have been written in each writing operation.

```
interface
  subroutine MPI_Get_count(status, datatype, count, ierr) fortran
    integer, intent(in) :: status      ! I/O infos
    integer, intent(in) :: datatype    ! MPI datatype of data
    intent(out) :: count               ! Elements moved
    intent(out) :: ierr                ! Error code
  end subroutine MPI_Get_count
end interface
```

```
int MPI_Get_count(MPI_Status *status, MPI_Datatype datatype, int *count) c/c++
```



MPI-IO basics


There are many other MPI functions for saving and retrieving data on disk; here is just a list of some.

Blocking, individual file pointer:

- `int MPI_File_write (MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`

and the collective versions:

- `int MPI_File_write_all(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read_all(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`




MPI-IO basics

Blocking, shared file pointer:

- `int MPI_File_write_shared(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read_shared(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`

and the collective versions:

- `int MPI_File_write_ordered(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read_ordered(MPI_File fh, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`



MPI-IO basics

Blocking, explicit file offset:


- `int MPI_File_write_at(MPI_File fh, MPI_Offset offset, ROMIO_CONST void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read_at(MPI_File fh, MPI_Offset offset, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`

and the collective versions:

- `int MPI_File_write_at_all(MPI_File fh, MPI_Offset offset, ROMIO_CONST void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`
- `int MPI_File_read_at_all(MPI_File fh, MPI_Offset offset, void *buf, int count, MPI_Datatype datatype, MPI_Status *status)`


Besides the cited functions there are the non-blocking versions.

Furthermore please note that MPI I/O is unformatted: data are saved on disk as they are stored in memory.



Groups of processes


In MPI terminology the process is the computing unit. MPI processes behave following the MIMD model. Each process is an independent unit and has its own memory space; it should be thought of as running on its own computing machine.



Groups of processes

Every MPI process belongs to one or more MPI group and has its own identification number or rank. MPI ranks are always numbered starting from 0. The 0 process is often called the *master* and usually acts as the boss in master-slave programming model, but it is not mandatory: any other process can act the same.

MPI groups may be generated and destroyed but they are otherwise static.




Groups of processes

Example: *0305MPIExample_two_groups*

In this example the group related to the default communicator is splitted in two groups using an array of indices:

```
numproc0 = numproc/2;  
  
for ( i = 0; i < numproc0; i++ ) ranks0[i] = i;  
  
MPI_Group_incl(GlobalGroup, numproc0, ranks0, &Group0);  
MPI_Group_excl(GlobalGroup, numproc0, ranks0, &Group1);  
  
MPI_Group_size(Group1, &numproc1);
```


Groups of processes

Each group has its own handle but is an opaque object: the programmer can not access its details. Proper functions must be used to manage group properties:

```
call mpi_group_size(group, size, ierr)
call mpi_group_rank(group, rank, ierr)
```

At the beginning all processes belong to the default group, the one associated to the default communicator `MPI_COMM_WORLD`. All other groups must be explicitly generated.

MPI processes may belong to different groups.



Groups of processes


Given a communicator the following function returns the handle of the associated group:

```
interface
  subroutine mpi_comm_group(comm,group, ierr)
    integer, intent(in) :: comm
    integer, intent(out) :: group, ierr
  end subroutine mpi_comm_group
end interface
```

fortran

```
int MPI_Comm_group (MPI_Comm comm, MPI_Group *group)
```

c/c++




Managing groups of processes

The following function enables generating a new group on the basis of an existing group. The process with rank $RANKS(I)$ in the old group is given rank I in the new group:

```
interface
  subroutine mpi_group_incl(group, n, ranks, newgroup, ierr)
    integer, intent(in) :: group, n, ranks
    integer, intent(out) :: newgroup, ierr
  end subroutine mpi_group_incl
end interface
```

fortran

```
int MPI_Group_incl(MPI_Group group, int n, int *ranks, MPI_Group *newgroup) c/c++
```



Managing groups of processes

Example:

if `GROUP` contains 8 processes (numbered from 0 to 7) and the array has values `RANKS (1 : 3) = (1, 5, 2)`, the instruction


```
call mpi_group_incl (group, 3, ranks, newgroup, ierr)
```

fortran

generates the new `NEWGROUP` with the three processes above numbered.

The following table shows correspondence between the two groups:

Group	Newgroup
1	0
5	1
2	2



Managing groups of processes

On the contrary in the following function the array `RANKS (I)` specify the processes of `GROUP` to be eliminated for building `NEWGROUP`:


```
interface fortran  
  subroutine mpi_group_excl(group, n, ranks, newgroup, ierr)  
    integer, intent(in) :: group, n, ranks  
    integer, intent(out) :: newgroup, ierr  
  end subroutine mpi_group_excl  
end interface
```

```
int MPI_Group_excl(MPI_Group group, int n, int *ranks, MPI_Group *newgroup) c/c++
```

It is also possible to specify a range of indexes, like `RANGES (1:N, 1:3)`. In the following functions the second dimension of the array specifies the first and the last index to be included and the stride.

```
call mpi_group_range_incl (group, n, ranges, newgroup, ierr)
```

```
call mpi_group_range_excl (group, n, ranges, newgroup, ierr)
```



Managing groups of processes

Example:


If group contains 1000 processes and a new group is to be generated with half the number of the processes, taken from the odd positions, the array may be defined as $RANGES(1,1)=2$, $RANGES(1,2)=1000$, $RANGES(1,3)=2$ and the program should issue the following instruction:

```
call mpi_group_range_excl (group, n, ranges, newgroup, ierr)
```

fortran

The correspondence between the two groups would be:

Group	Newgroup
1	0
3	1
5	2
...	...



Managing groups of processes

The operations to manage groups are local and do not involve communications.

The following function may be used to know the relevant rank of the processes in two different groups.

RANKS1 (:) are the known ranks of the processes in GROUP1


RANKS2 (:) are the related ranks in GROUP2

```
interface
  subroutine mpi_group_translate_ranks(group1, n, ranks1, group2, &
    ranks2, ierr)
    integer, intent(in) :: group1, n, ranks1(:), group2
    integer, intent(out) :: ranks2(:), ierr
  end subroutine mpi_group_translate
end interface
```

fortran

```
int MPI_Group_translate (group1, n, ranks1, group2, ranks2, ierr)
```

c/c++



Managing groups of processes


It is possible to check similarity of two groups:

```
interface fortran  
  subroutine mpi_group_compare(group1, group2, result, ierr)  
    integer, intent(in) :: group1, group2  
    integer, intent(out) :: result, ierr  
  end subroutine mpi_group_compare  
end interface
```

```
int MPI_Group_compare (group1, group2, result, ierr) c/c++
```

The returned values may be one out of the following:

- `MPI_IDENT` if the groups have the same processes with identical ranks
- `MPI_SIMILAR` if the groups have the same processes but unequal ranks
- `MPI_UNEQUAL` if the groups are different




Communicators

A communicator defines the processes that can communicate each other. Each communicator has its own handle, is an opaque object and can be managed by proper functions only.

The default communicator is named `MPI_COMM_WORLD`, but in a real program it is often useful to generate additional communicators, to be able to directly manage communications among process subsets.

Communicator handles must always be specified in sending and receiving functions.




Communicators

Example: *0306MPIExample_two_comms*

The default communicator is splitted in two sets of processes and an intercommunicator is created:

```
colour = id % 2;
MPI_Comm_split(GlobalComm, colour, id, &LocComm);
if ( colour == 0 ) {
    MPI_Intercomm_create(LocComm, 0, GlobalComm, 1,
        01, &InterComm);
} else {
    MPI_Intercomm_create(LocComm, 0, GlobalComm, 0,
        01, &InterComm);
}
```



Managing communicators

The following function may be used to generate a new communicator connected to an existing group:


```
interface
  subroutine mpi_comm_create(comm, group, newcomm, ierr)
    integer, intent(in) :: comm, group
    integer, intent(out) :: newcomm, ierr
  end subroutine mpi_comm_create
end interface
```

fortran

```
int MPI_Comm_create ( MPI_Comm comm, MPI_Group group, MPI_Comm *newcomm )
```


c/c++

- **COMM** is an existing communicator related to a wider process group; the function must be called by all processes in the **COMM** communicator
- **GROUP** is a sub-group of the process group related to **COMM**
- **NEWCOMM** is the handle of the newly generated communicator




Managing communicators

Suppose there is a communicator connected to a group of 8 processes and 2 new communicators are required by dividing the communicator in two parts as follow:



Managing communicators



To accomplish this task all the processes of the existing communicator may issue the following instructions:

```
call mpi_comm_rank (comm, rank, ierr)
call mpi_comm_size (comm, size, ierr)
color = 2*rank/size
key   = size - rank - 1
call mpi_comm_split (comm, color, key, newcomm, ierr)
```


fortran

Each process receives a new communicator handle and will have the rank:

Communicator 1		Communicator 2	
Rank in new group	Rank in old group	Rank in new group	Rank in old group
0	3	0	7
1	2	1	6
2	1	2	5
3	0	3	4

If for some process `COLOR=MPI_UNDEFINED`, the function `MPI_COMM_SPLIT` returns `NEWCOMM=MPI_COMM_NULL`


Communications between groups



Once the processes have been separated in several groups it is possible to realize client-server connections by connecting disjointed groups.

Communications between separated groups can only be of point-to-point type: no collective communications are available.


Communications between groups



Whenever a new inter-communicator has been created, the sending process must specify the rank of the receiving process (relevant to the other group); the receiving process must specify the rank of the sender (relevant to the other group).

To enable this, while the functions `mpi_comm_size`, `mpi_comm_rank`, `mpi_comm_group` return informations relevant to the local communicator, the functions `mpi_comm_remote_size`, `mpi_comm_remote_group` instead return informations on the disjointed intercommunicator group.


Communications between groups



A communicator connecting disjointed groups is called an inter-communicator and can be generated by calling the function `mpi_intercomm_create`. This function requires:

- A leading process for each one of two disjointed groups
- An intra-communicator between the two leading processes
- A tag for safe communications between the two leading processes


Communications between groups



The following function generates an inter-communicator `NEWINTERCOMM` between the processes `LOCALLEADER` and `REMOLEADER` of the intra-communicator `LOCALCOMM`, using `TAG` and the point-to-point communicator `PEERCOMM`. It should be noted that `REMOLEADER` and `PEERCOMM` are referred to the local process, while `TAG` must have the same value for both the processes:

```
interface fortran
  subroutine mpi_intercomm_create(localcomm, localleader, peercomm, &
                                remoteleader, tag, newintercomm, ierr)
    integer, intent(in) :: localcomm, localleader, peercomm
    integer, intent(in) :: remoteleader, tag
    integer, intent(out) :: newintercomm, ierr
  end subroutine mpi_intercomm_create
end interface
```

```
int MPI_Intercomm_create ( MPI_Comm localcomm, int localleader, c/c++
                          MPI_Comm peercomm, int remoteleader, int tag,
                          MPI_Comm *newintercomm )
```



Communications between groups


The intra-communicator `NEWINTRACOMM` may be generated from an inter-communicator `INTERCOMM` calling the function:

```
interface fortran  
  subroutine mpi_intercomm_merge(intercomm, high, newintracomm, ierr)  
    integer, intent(in) :: intercomm, high  
    integer, intent(out) :: newintracomm, ierr  
  end subroutine mpi_intercomm_merge  
end interface
```

```
int MPI_Intercomm_merge(MPI_Comm intercomm, int high, MPI_Comm *newintracomm) c/c++
```

This way two separated groups may be joined. The value of `HIGH` must be the same for all the processes belonging to the same group. If `HIGH = .FALSE.` for group 1 and `HIGH = .TRUE.` for group 2, in the new communicating group the processes are ordered starting from group 1; i.e. the processes in group 2 have a higher rank.

Example: `0307MPIExample_comms_merge` (Fortran and C)



Topologies

In many programs it may be important to arrange the processes in a given topology. MPI enables the definition of topologies, with an explicit support for cartesian topology. This topology may be defined by calling the function:


```
interface
  subroutine mpi_cart_create(comm_old, ndims, ldims, periods, reorder,
                           comm_cart, ierr)
    integer, intent(in) :: comm_old, ndims
    integer, dimension(:), intent(in) :: ldims
    logical, dimension(:), intent(in) :: periods
    logical, intent(in) :: reorder
    integer, intent(out) :: comm_cart, ierr
  end subroutine mpi_cart_create
end interface
```

fortran

```
int MPI_Cart_create ( MPI_Comm comm_old, int ndims, int *ldims, int *periods,
                    int reorder, MPI_Comm *comm_cart )
```

c/c++

Topologies




Example: *0308MPIExample_cart_create*

In the example a 2D cartesian topology is created to send a message along horizontal and vertical «bands».

```
ldims(:) = q
periods(:) = .TRUE.
reorder = .FALSE.
call MPI_Cart_Create (MPI_COMM_WORLD, 2, ldims, periods, &
    & reorder, cart_comm, ierr)
!   Get process coordinates
call MPI_COMM_RANK(cart_comm, cart_rank, ierr )
call mpi_cart_coords(cart_comm, cart_rank, 2, coords, &
    & ierr)
CALL MPI_CART_SHIFT(cart_comm, 0, 1, source, dest, ierr)
CALL MPI_SENDRECV_REPLACE(cval, 1, MPI_INTEGER, dest, 0, &
    & source, 0, cart_comm, status, ierr)
```


Topologies



The `MPI_CART_CREATE` function returns the new communicator `COMM_CART`, connected to a grid with `NDIMS` dimensions. The extent of each dimension must be defined in `LDIMS (1 : NDIMS)` and it is possible to specify periodicity for each dimension. The `REORDER` variable is used to allow reordering of the processes.

In cartesian topologies the processes are ordered by rows.

Functions dealing with informations and details about the topology associated to a communicator are available.



Topologies

Given a communicator `COMM`, the function `MPI_TOPO_TEST` returns the associated topology:


`MPI_GRAPH`: graph topology

`MPI_CART`: cartesian topology

`MPI_UNDEFINED`: no topology

```
interface fortran
  subroutine mpi_topo_test(comm, topol, ierr)
    integer, intent(in) :: comm
    integer, intent(out) :: topol, ierr
  end subroutine mpi_topo_test
end interface
```

```
int MPI_Topo_test ( MPI_Comm comm, int *topol ) c/c++
```




Topologies

Given a communicator `COMM`, with cartesian topology, the function `MPI_CARTDIM_GET` returns the number of dimensions

```
interface fortran  
  subroutine mpi_cartdim_get(comm, ndims, ierr)  
    integer, intent(in) :: comm  
    integer, intent(out) :: ndims, ierr  
  end subroutine mpi_cartdim_get  
end interface
```

```
int MPI_Cartdim_get ( MPI_Comm comm, int *ndims ) c/c++
```




Topologies

The function `MPI_CART_GET`, returns the number `DIMS (:)` of processes in each dimension, the periodicity for each dimension, the process coordinates.

```
interface fortran  
  subroutine mpi_cart_get(comm, maxdims, dims, periods, coords, ierr)  
    integer, intent(in) :: comm, maxdims  
    integer, intent(out) :: ierr  
    integer, dimension(:), intent(out) :: dims, coords  
    logical, dimension(:), intent(out) :: periods  
  end subroutine mpi_cart_get  
end interface
```

```
int MPI_Cart_get ( MPI_Comm comm, int maxdims, int *dims, c/c++  
                 int *periods, int *coords )
```

Topologies


Given a communicator associated to a cartesian topology and the process coordinates, the following function returns the process rank:

```
interface
  subroutine mpi_cart_rank(comm, coords, rank, ierr)
    integer, intent(in) :: comm
    integer, dimension(:), intent(in) :: coords
    integer, intent(out) :: rank, ierr
  end subroutine mpi_cart_rank
end interface
```

fortran

```
int MPI_Cart_rank( MPI_Comm comm, int *coords, int *rank)
```

c/c++



Topologies


The following function returns the coordinates of a process in a cartesian topology:

```
interface
  subroutine mpi_cart_coords(comm, rank, maxdims, coords, ierr)
    integer, intent(in) :: comm, rank, maxdims
    integer, dimension(:), intent(out) :: coords
    integer, intent(out) :: ierr
  end subroutine mpi_cart_coords
end interface
```

fortran

```
int MPI_Cart_coords( MPI_Comm comm, int rank, int maxdims, int *coords)
```

c/c++



Topologies

The following function helps defining the length in each dimension for a cartesian topology:


```
interface
  subroutine MPI_Dims_create(nnodes, ndims, dims)
    integer, intent(in) :: nodes, dims
    integer, dimension(:), intent(inout) :: dims
    integer, intent(out) :: ierr
  end subroutine MPI_Dims_create
end interface
```

fortran

```
int MPI_Dims_create(int nnodes, int ndims, int *dims)
```

c/c++

The `dims(:)` array is filled by the function only where value is 0. As an example if `nnodes=6`, `ndims=3`, `dims=[0,3,0]`, the output is `dims=[2,3,1]`, otherwise the output is `dims=[3,2,1]`



Topologies

Topologies may be useful to send messages along specific directions.

As an example, suppose that every process in a cartesian topology has to send data toward the DIM dimension to a DELTA distance. The following function returns the ranks of the processes SOURCE and DEST

```
interface
  subroutine mpi_cart_shift(comm, dim, delta, source, dest, ierr)
    integer, intent(in) :: comm, dim, delta
    integer, intent(out) :: source, dest, ierr
  end subroutine mpi_cart_shift
end interface
```

fortran


```
int MPI_Cart_shift(MPI_Comm comm,int dim,int delta,int *source,int *dest)
```

c/c++

to be passed to the function


```
CALL MPI_SENDRECV(SENDBUF, SENDCOUNT, SENDTYPE, DEST, &
  SENDTAG, RECVBUFF, RECVCOUNT, RECVTYPE, &
  SOURCE, RECVTAG, COMM, STATUS, IERROR)
```

Example: MPI_CART_SHIFT



```
.....  
C find process rank  
    CALL MPI_COMM_RANK(comm, rank, ierr)  
C find cartesian coordinates  
    CALL MPI_CART_COORDS(comm, rank, maxdims, coords, ierr)  
C compute shift source and destination  
    CALL MPI_CART_SHIFT(comm, 0, coords(2), source, dest, ierr)  
C skew array  
    CALL MPI_SENDRECV_REPLACE(A, 1, MPI_REAL, dest, 0, source, 0, comm, &  
        status, ierr)
```

fortran



Topologies

The following function generates new cartesian topologies by cutting a wider cartesian space along the given dimensions:

```
interface
  subroutine mpi_cart_sub(comm, remain_dims, newcomm, ierr)
    integer, intent(in) :: comm
    logical, dimension(:), intent(in) :: remain_dims
    integer, intent(out) :: newcomm, ierr
  end subroutine mpi_cart_sub
end interface
```


fortran

```
int MPI_Cart_sub( MPI_Comm comm, int *remain_dims, MPI_Comm *newcomm)
```

c/c++

Example: if `COMM` is associated to a cartesian topology with extensions `2x3x4` and `REMAIN_DIMS=(.T.,.T.,.F.)`, four new topologies are generated with extension `2x3`.

Each process is returned one communicator handle; the former group is divided in 4 new groups with 6 processes each.



MPI+OpenMP

It is possible to develop parallel programs mixing MPI calls and OpenMP directives.

Intel compilers: `mpixxx -openmp -O3 -o nomefile.exe nomefile.xxx`

PGI compilers: `mpixxx -mp -O3 -o nomefile.exe nomefile.xxx`

GNU compilers: `mpixxx -fopenmp -O3 -o nomefile.exe nomefile.xxx`

Execution:

```
export OMP_NUM_THREADS=threads
```

```
mpirun -np 2 -machinefile mc -x OMP_NUM_THREADS nomefile.exe
```