



# OpenMP Exercises

**Isabella Baccarelli** - [i.baccarelli@cineca.it](mailto:i.baccarelli@cineca.it)

**Alessandro Grottesi** - [a.grottesi@cineca.it](mailto:a.grottesi@cineca.it)

**Marco Rorro** - [m.rorro@cineca.it](mailto:m.rorro@cineca.it)

**CINECA - SuperComputing Applications and Innovation Department**

# Warm-up with OpenMP

- ① Compile and run "Hello World" and experiment with the `OMP_NUM_THREADS` variable. If any errors occur, try to fix it.
  
- ② Parallelize the MM (Matrix Multiplication) serial code acting only on the most important loop

# Hello World from C

C

```
#include <stdio.h>
#ifndef _OPENMP
#include<omp.h>
#endif
int main(int argc, char* argv[ ])
{
#ifndef _OPENMP
    int iam;
    #pragma omp parallel \
private(iam) /* the parallel block starts here */
    {
        iam=omp_get_thread_num();

        #pragma omp critical
            printf("Hello from %d\n",iam);

    } /* the parallel block ends here */
#else
    printf("Hello, this is a serial program.\n");
#endif
    return 0;
}
```

# Hello World from Fortran

## Fortran

```
Program Hello_from_Threads
#ifndef _OPENMP
    use omp_lib
#endif
    implicit none
    integer :: iam
#endif _OPENMP
 !$omp parallel &
 !$omp private(iam)
    iam=omp_get_thread_num()
    !$omp critical
        write, 'Hello from', iam
    !$omp end critical
    !$omp end parallel
#else
    write, 'Hello, this is a serial program'
#endif
end program Hello_from_Threads
```

# Matrix Multiplication in C

C

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>

int main(int argc,char **argv) {
    int n;
    int i, j, k;
    ...
    double (*a )[n] = malloc(sizeof(double[n][n]));
    double (*b )[n] = malloc(sizeof(double[n][n]));
    double (*c )[n] = malloc(sizeof(double[n][n]));
    ...

    for (i=0; i<n; i++)
        for (j=0; j<n; j++) {
            a[i][j] = ((double)rand()) / ((double)RAND_MAX);
            b[i][j] = ((double)rand()) / ((double)RAND_MAX);
            c[i][j] = 0.0;
        }

    #pragma omp parallel for private(j,k)
    for (i=0; i<n; ++i)
        for (k=0; k<n; k++)
            for (j=0; j<n; ++j)
                c[i][j] += a[i][k]*b[k][j];
    ...
    return 0;
}
```

# Matrix Multiplication in Fortran

Fortran


```
program mat_prod
    implicit none
    integer :: n
    real(kind(1.d0)), dimension(:,:), allocatable :: a, b, c
    integer :: i, j, k
    ...
    allocate(a(n,n),b(n,n),c(n,n),stat=ierr)
    ...
    call random_number(a)
    call random_number(b)
    c = 0.d0

    !$omp parallel do
    do j=1, n
        do k=1, n
            do i=1, n
                c(i,j) = c(i,j) + a(i,k)*b(k,j)
            end do
        end do
    end do
    !$omp end parallel do
    ...
end program mat_prod
```

# Let's play with OpenMP

- 3 Parallelize the serial code **Pi**. It computes the Reimann approximation of


$$\int_0^1 \frac{4}{1+x^2} dx = 4 \arctan x \Big|_0^1 = \pi$$



- 4 Parallelize the serial code **Laplace**. It applies the iterative Jacobi method to a finite differences approximation of the Laplace equation with Dirichelet boundary condition:

$$T_{i,j}^{n+1} = \frac{1}{4}(T_{i+1,j}^n + T_{i-1,j}^n + T_{i,j-1}^n + T_{i,j+1}^n)$$

- start from the most computationally intensive loop
- then try to include the **while** loop in the parallel region



$\pi$

## C

```
#include <omp.h>
...
double time1 = omp_get_wtime();
sum = 0.0;
dx = 1.0 / (double) intervals;
#pragma omp parallel for private(x,f) reduction(+:sum)
for (i = 1; i <= n; i++) {
    x = dx * ((double) (i - 0.5));
    f = 4.0 / (1.0 + x*x);
    sum = sum + f;
}
pi = dx*sum;
time2 = omp_get_wtime() - time1;
...
```

π

## Fortran

```
use omp_lib
...
time1 = omp_get_wtime()
sum=0.d0
dx=1.d0/intervals
 !$omp parallel do private(x,f) reduction(+:sum)
do i=1,n
    x=dx*(i-0.5d0)
    f=4.d0/(1.d0+x*x)
    sum=sum+f
end do
 !$omp end parallel do
pi=dx*sum
time2 = omp_get_wtime()
...
```

# Laplace

C

```
...
while(var > tol && iter <= maxIter) {
    ++iter;
    var = 0.0;
#pragma omp parallel for private(j) reduction(max:var)
    for (i=1; i<=n; ++i)
        for (j=1; j<=n; ++j) {
            Tnew[i*n2+j] = 0.25*(T[(i-1)*n2+j] + T[(i+1)*n2+j]
                                   + T[i*n2+(j-1)] + T[i*n2+(j+1)]);
            var = fmax(var, fabs(Tnew[i*n2+j] - T[i*n2+j]));
        }
    Tmp=T; T=Tnew; Tnew=Tmp;
    if (iter%100 == 0)
        printf("iter: %8u, variation = %12.4E\n", iter, var);
}
...
...
```

# Reduction under the hood

C

```
while(var > tol && iter <= maxIter) {  
    ++iter;  
    var = 0.0;  
    #pragma omp parallel  
{  
        double pvar = 0.0;  
        #pragma omp for private(j)  
        for (i=1; i<=n; ++i)  
            for (j=1; j<=n; ++j) {  
                Tnew[i*n2+j] = 0.25*( T[(i-1)*n2+j] + T[(i+1)*n2+j]  
                    + T[i*n2+(j-1)] + T[i*n2+(j+1)] );  
                pvar = fmax(pvar , fabs(Tnew[i*n2+j] - T[i*n2+j]));  
            }  
        #pragma omp critical  
        if (pvar > var) var = pvar;  
    }  
    Tmp=T; T=Tnew; Tnew=Tmp;  
    if (iter%100 == 0) ...  
}
```

# Laplace

## Fortran

```
...
do while (var > tol .and. iter <= maxIter)
    iter = iter + 1
    var = 0.d0
!$omp parallel do reduction(max:var)
do j = 1, n
    do i = 1, n
        Tnew(i,j)=0.25d0*(T(i-1,j)+T(i+1,j)+T(i,j-1)+T(i,j+1))
        var = max(var, abs( Tnew(i,j) - T(i,j) ))
    end do
end do
!$omp end parallel do
Tmp =>T; T =>Tnew; Tnew => Tmp;
if( mod(iter,100) == 0 ) ...
end do
...
...
```

# Laplace incremented

```
C
...
#pragma omp parallel
{
    while(var > tol && iter <= maxIter) {
        #pragma omp barrier
        #pragma omp single
        {
            ++iter;
            var = 0.0;
        }
        #pragma omp for private(j) reduction(max:var)
        ...
        #pragma omp single nowait
        {
            Tmp=T; T=Tnew; Tnew=Tmp;
            if (iter%100 == 0) ...

        }
    }
}
```

# Reduction under the hood

```
C
#pragma omp parallel
{
    while(var > tol && iter <= maxIter) {
        #pragma omp barrier
        #pragma omp single
        {
            ++iter;
            var = 0.0;
        }
        double pvar = 0.0;
        #pragma omp for nowait private(j)
        for (i=1; i<=n; ++i)
            for (j=1; j<=n; ++j) {
                Tnew[i*n2+j] = 0.25*( T[(i-1)*n2+j] + T[(i+1)*n2+j]
                                         + T[i*n2+(j-1)] + T[i*n2+(j+1)] );
                pvar = fmax(pvar, fabs(Tnew[i*n2+j] - T[i*n2+j]));
            }
        #pragma omp critical
        if (pvar > var) var = pvar;

        #pragma omp barrier
        #pragma omp single nowait
        {
            Tmp=T; T=Tnew; Tnew=Tmp;
            if (iter%100 == 0) printf("iter: %8u, variation = %12.4E\n", iter, var);
        }
    }
}
```

# Laplace incremented

Fortran


```
...
!$omp parallel
do while (var > tol .and. iter <= maxIter)
  !$omp barrier
  !$omp single
    iter = iter + 1
    var = 0.d0
  !$omp end single
  !$omp do reduction(max:var)
  ...
  !$omp end do
  !$omp single
    Tmp =>T; T =>Tnew; Tnew => Tmp;
    if( mod(iter,100) == 0 ) ...
  !$omp end single nowait
end do
 !$omp end parallel
...
```

# When the Going Gets Tough, the Tough ...

- 5 Parallelize the serial code **Nbody**. It computes the total energy and the forces of a system of N particles with potential  $V = 1/r$  if  $r$  is less of a threshold and  $V = 0$  otherwise.

- pay attention to the update of **forces**
  - try to update them atomically
  - try to reduce them

- try different schedules and test their performance



- to compile use the preprocessing MACRO DIM=55000, for example
  - `gcc -O3 -DDIM=55000 Nbody.c -o nbody -lm`

# Nbody atomic

C

```
#pragma omp parallel for private(i,j,k,rij,d,d2,d3) reduction(+:ene) \
schedule(guided)
for(i=0; i<nbodies; ++i)
    for(j=i+1; j<nbodies; ++j) {
        d2 = 0.0;
        for(k=0; k<3; ++k) {
            rij[k] = pos[i][k] - pos[j][k];
            d2 += rij[k]*rij[k];
        }
        if (d2 <= cut2) {
            d = sqrt(d2);
            d3 = d*d2;
            for(k=0; k<3; ++k) {
                double f = -rij[k]/d3;
                #pragma omp atomic
                forces[i][k] += f;
                #pragma omp atomic
                forces[j][k] -= f;
            }
            ene += -1.0/d;
        }
    }
```

# Nbody atomic

Fortran

```
$omp parallel do private(i,j,k,rij,d,d2,f) reduction(+:ene) &
$omp schedule(guided)
do i = 1, DIM
    do j = i+1, DIM
        rij(:) = pos(:,i) - pos(:,j)
        d2 = 0.d0
        do k = 1, 3
            d2 = d2 + rij(k)**2
        end do
        if (d2 .le. cut2) then
            d = sqrt(d2)
            f(:) = - 1.d0 / d**3 * rij(:)
            do k=1, 3
                !$omp atomic
                forces(k,i) = forces(k,i) + f(k)
                !$omp atomic
                forces(k,j) = forces(k,j) - f(k)
            end do
            ene = ene + (-1.d0/d)
        end if
    end do
end do
$omp end parallel do
```

# Nbody hand reduced in C

C ...

```

int tot_threads;
double ( *gforces )[3];

#pragma omp parallel private(i,j,k,rij,d,d2,d3)
{
#ifdef _OPENMP
    tot_threads = omp_get_num_threads();
#else
    tot_threads = 1;
#endif
    #pragma omp single
    gforces = calloc(nbodies*tot_threads,\n        sizeof( *gforces ));

    double ( *pforces )[3];

#ifdef _OPENMP
    pforces = gforces + nbodies*omp_get_thread_num();
#else
    pforces = gforces;
#endif
}

```

C

```

#pragma omp for reduction(+:ene) schedule(guided)
for(i=0; i<nbodies; ++i)
    for(j=i+1; j<nbodies; ++j) {
        d2 = 0.0;
        for(k=0; k<3; ++k) {
            rij[k] = pos[i][k] - pos[j][k];
            d2 += rij[k]*rij[k];
        }
        if (d2 <= cut2) {
            d = sqrt(d2);
            d3 = d*d2;
            for(k=0; k<3; ++k) {
                double f = -rij[k]/d3;
                pforces[i][k] += f;
                pforces[j][k] -= f;
            }
            ene += -1.0/d;
        }
    }
#pragma omp for
for(i=0; i<nbodies; ++i)
    for (j=0; j<tot_threads; j++)
        for(k=0; k<3; ++k)
            forces[i][k] += gforces[i+j*nbodies][k];
}

```

# Nbody reduction in Fortran

## Fortran

```
!$omp parallel do private(i,j,k,rij,d,d2,f) &
!$omp reduction(+:ene,forces) &
!$omp schedule(guided)
do i = 1, DIM
    do j = i+1, DIM
        rij(:) = pos(:,i) - pos(:,j)
        d2 = 0.d0
        do k = 1, 3
            d2 = d2 + rij(k)**2
        end do
        if (d2 .le. cut2) then
            d = sqrt(d2)
            f(:) = - 1.d0 / d**3 * rij(:)
            forces(:,i) = forces(:,i) + f(:)
            forces(:,j) = forces(:,j) - f(:)
            ene = ene + (-1.d0/d)
        end if
    end do
end do
!$omp end parallel do
```